

SEQUENCE LISTING

<110> Ribozyme Pharmaceuticals, Inc
 Usman, Nassim
 McSwiggen, Jim
 Zinnen, Shawn
 Seiwert, Scott
 Haeberli, Peter
 Chowrira, Bharat
 Blatt, Lawrence

<120> Nucleic Acid Sensor Molecules

<130> MBHB00-816-D (700/004)

<160> 58

<170> PatentIn version 3.0

<210> 1
 <211> 15
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic reporter sequence

<400> 1
 aagcacuaau ggaga 15

<210> 2
 <211> 15
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic reporter sequence

<400> 2
 aagcacuaac aguaa 15

<210> 3
 <211> 37
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic sensor sequence

<400> 3
 ucuccaucug augaggccgu uaggccgaaa gugcuug 37

<210> 4
 <211> 43

009924160.110501

<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic sensor sequence

<400> 4
ucuccaucug augaggccgu uaggccgaaa gugcuugcga gug 43

<210> 5
<211> 43
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic sensor sequence

<400> 5
uuacugucug augaggccgu uaggccgaaa gugcuugcga gug 43

<210> 6
<211> 25
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic sensor component
sequence

<220>
<221> misc_feature
<222> (1)..(25)
<223> 2'-O-Methyl

<400> 6
caagcacuuu cucaucagau ggaga 25

<210> 7
<211> 31
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic sensor component
sequence

<220>
<221> misc_feature
<222> (1)..(31)
<223> 2'-O-Methyl

<400> 7
cacucgcaag cacuuucuca ucagauggag a 31

<210> 8
<211> 26
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic sensor component
sequence

<220>
<221> misc_feature
<222> (1)..(26)
<223> 2'-O-Methyl

<400> 8
cacucgcaag caccuaucag gcagua

26

<210> 9
<211> 28
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic sensor component
sequence

<220>
<221> misc_feature
<222> (1)..(28)
<223> 2'-O-Methyl

<400> 9
cacucgcaag caccuauca gguggaga

28

<210> 10
<211> 27
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic target signaling
sequence

<400> 10
uacugccuga uagggugcuu gcgagug

27

<210> 11
<211> 15
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Generic target sequence

<220>
<221> misc_feature
<222> (1)..(6)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (9)..(15)
<223> n stands for any nucleotide

<400> 11
nnnnnnnuhnn nnnnn

15

<210> 12
<211> 36
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Enzymatic Nucleic Acid

<220>
<221> misc_feature
<222> (1)..(7)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (16)..(18)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (23)..(25)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (31)..(36)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (1)..(8)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (14)..(26)
<223> 2'-O-Methyl

09592150.110501

<220>
 <221> misc_feature
 <222> (28)..(29)
 <223> 2'-O-Methyl

<220>
 <221> misc_feature
 <222> (31)..(36)
 <223> 2'-O-Methyl

<220>
 <221> misc_feature
 <222> (9)..(9)
 <223> 2'-deoxy-2'-C-Allyl

<400> 12
 nnnnnnncug augagnnga aannncgaaa nnnnnn

36

<210> 13
 <211> 14
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Generic target sequence

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> n stands for any nucleotide

<220>
 <221> misc_feature
 <222> (8)..(14)
 <223> n stands for any nucleotide

<400> 13
 nnnnnchnnn nnnn

14

<210> 14
 <211> 35
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Enzymatic Nucleic Acid

<220>
 <221> misc_feature
 <222> (1)..(7)
 <223> n stands for any nucleotide

<220>
 <221> misc_feature

```

<222> (16)..(18)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (23)..(25)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (31)..(35)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (1)..(8)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (14)..(26)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (28)..(29)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (31)..(35)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (30)..(30)
<223> n stands for Inosine

<220>
<221> misc_feature
<222> (9)..(9)
<223> 2'-deoxy-2'-C-Allyl

<400> 14
nnnnnnncug augagnnga aannncgaan nnnnn

<210> 15
<211> 15
<212> RNA
<213> Artificial Sequence

```

35

<220>
<223> Description of Artificial Sequence: Generic target sequence

<220>
<221> misc_feature
<222> (1)..(6)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (9)..(15)
<223> n stands for any nucleotide

<400> 15
nnnnnnnygnn nnnnn

15

<210> 16
<211> 35
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Enzymatic Nucleic Acid Motif

<220>
<221> misc_feature
<222> (1)..(7)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (29)..(35)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (1)..(8)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (13)..(16)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (18)..(35)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (11)..(11)
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 16
nnnnnnnuga uggcaugcac uaugcgcgnn nnnnn

35

<210> 17
 <211> 48
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Enzymatic Nucleic Acid Motif

<220>
 <221> misc_feature
 <222> (1)..(8)
 <223> 2'-O-Methyl

<220>
 <221> misc_feature
 <222> (12)..(21)
 <223> 2'-O-Methyl

<220>
 <221> misc_feature
 <222> (32)..(37)
 <223> 2'-O-Methyl

<220>
 <221> misc_feature
 <222> (44)..(48)
 <223> 2'-O-Methyl

<220>
 <221> misc_feature
 <222> (9)..(10)
 <223> 2'-deoxy-2'-amino

<220>
 <221> misc_feature
 <222> (22)..(26)
 <223> 2'-deoxy-2'-amino

<220>
 <221> misc_feature
 <222> (38)..(40)
 <223> 2'-deoxy-2'-amino

<400> 17
 gugugcaacc ggaggaaacu ccuucagg acgaaagucc gggacggg

48

<210> 18
 <211> 16
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target sequence for SEQ ID NO 17

<400> 18
gccguggguu gcacac

16

<210> 19
<211> 36
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Enzymatic Nucleic Acid Motif

<220>
<221> misc_feature
<222> (1)..(7)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (36)..(36)
<223> 3'-3' inverted abasic moiety

<220>
<221> misc_feature
<222> (9)..(15)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (21)..(21)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (23)..(23)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (26)..(26)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (28)..(35)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (1)..(4)
<223> Phosphorothioate 3'-Internucleotide Linkage

0993160-110501

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> 2'-Deoxy-2'-Amino

<220>
 <221> misc_feature
 <222> (27)..(27)
 <223> 2'-Deoxy-2'-Amino

<400> 19
 gugccuggcc gaaaggcgag ugaggucugc cgcgcg

36

<210> 20
 <211> 15
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Target sequence for SEQ ID NO 19

<400> 20
 gcgcggcgca ggcac

15

<210> 21
 <211> 16
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Enzymatic Nucleic Acid Motif

<400> 21
 rggctagcta caacga

16

<210> 22
 <211> 12
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Generic Reporter Molecule

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> n stands for any nucleotide

<220>
 <221> misc_feature
 <222> (8)..(12)
 <223> n stands for any nucleotide

<400> 22

09997160.110501

nnnnnygnnn nn

12

<210> 23
<211> 35
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Sensor Molecule Motif

<220>
<221> misc_feature
<222> (1)..(6)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (8)..(17)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (31)..(35)
<223> n stands for any nucleotide

<400> 23
nnnnnnngnnn nnnnnnnncga gugaggucur nnnnn

35

<210> 24
<211> 23
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Sensor Molecule Motif

<220>
<221> misc_feature
<222> (1)..(5)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (19)..(23)
<223> n stands for any nucleotide

<400> 24
nnnnnncgagu gaggucurnn nnn

23

<210> 25
<211> 11
<212> RNA
<213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic Target Signaling Molecule

 <220>
 <221> misc_feature
 <222> (1)..(4)
 <223> n stands for any nucleotide

 <220>
 <221> misc_feature
 <222> (7)..(11)
 <223> n stands for any nucleotide

 <400> 25
 nnnnrgnnnn n 11

 <210> 26
 <211> 21
 <212> RNA
 <213> Hepatitis C virus

 <400> 26
 gguccuuucu uggauaaacc c 21

 <210> 27
 <211> 42
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic Sensor/Reporter Molecule

 <220>
 <221> misc_feature
 <222> (22)..(35)
 <223> n stands for any nucleotide

 <400> 27
 ggguuuau cg agugaggucu rnnnnnnnnnn nnnnnnygcaa ga 42

 <210> 28
 <211> 54
 <212> RNA
 <213> Artificial Sequence

 <220>
 <223> Description of Artificial Sequence: Synthetic Sensor Molecule

 <220>
 <221> misc_feature
 <222> (1)..(6)
 <223> n stands for any nucleotide

0999160-110501
 10501-0999160

<220>
 <221> misc_feature
 <222> (50)..(54)
 <223> n stands for any nucleotide

<400> 28
 nnnnnngagc cgaguagcgu ugggucgcga aaggcucgag ugaggucurn nnnn

54

<210> 29
 <211> 72
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic Sensor Molecule

<220>
 <221> misc_feature
 <222> (1)..(6)
 <223> n stands for any nucleotide

<220>
 <221> misc_feature
 <222> (8)..(16)
 <223> n stands for any nucleotide

<220>
 <221> misc_feature
 <222> (46)..(54)
 <223> n stands for any nucleotide

<220>
 <221> misc_feature
 <222> (68)..(72)
 <223> n stands for any nucleotide

<400> 29
 nnnnnngnnn nnnnnnagcc gaguagcguu gggucgcgaa aggcunnnnn nnnncgagug

60

aggucurnnn nn

72

<210> 30
 <211> 39
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Synthetic Sensor Molecule

<220>
 <221> misc_feature
 <222> (1)..(6)
 <223> n stands for any nucleotide

<220>

<221> misc_feature
<222> (8)..(17)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (31)..(39)
<223> n stands for any nucleotide

<400> 30
nnnnnnngnnn nnnnnnnncga gugaggucur nnnnnnnnn

39

<210> 31
<211> 10
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Generic Target Molecule

<220>
<221> misc_feature
<222> (1)..(6)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (8)..(10)
<223> n stands for any nucleotide

<400> 31
nnnnnnngnnn

10

<210> 32
<211> 39
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Reporter/Sensor Molecule

<220>
<221> misc_feature
<222> (1)..(5)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (19)..(32)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (35)..(39)
<223> n stands for any nucleotide

<400> 32
nnnnncgagu gaggucurnn nnnnnnnnnn nnygnnnn 39

<210> 33
<211> 34
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Reporter/Sensor Molecule

<220>
<221> misc_feature
<222> (1)..(5)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (19)..(32)
<223> n stands for any nucleotide

<400> 33
nnnnncgagu gaggucurnn nnnnnnnnnn nnyg 34

<210> 34
<211> 27
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Molecule

<400> 34
cggguccuuu cuuggauaaa cccgcuc 27

<210> 35
<211> 47
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Synthetic Sensor Molecule

<220>
<221> misc_feature
<222> (37)..(38)
<223> 2'-O-Methyl

<400> 35
gagcggguuu auccaagaaa ggaccuuuuc gagugagguc ugacggc 47

<210> 36

0993160-140501

<210> 41
<211> 41
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Erk Modulated Sensor Component

<400> 41
ggauaaggag gauuuccgaa agcggcuacg guccgccauc c 41

<210> 42
<211> 74
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Erk Modulated Sensor Molecule

<400> 42
gcgugaccug augagucacg cuaaggagga uuuccgaaag cggcuacggu ccgccagugu 60
uacgaaacgu uccc 74

<210> 43
<211> 38
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Half-Zinzyme

<220>
<221> misc_feature
<222> (1)..(4)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (6)..(11)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (16)..(27)
<223> 2'-O-Methyl

<220>

<221> misc_feature
<222> (31)..(38)
<223> 2'-O-Methyl

<400> 43
uuaucgagug aggcugacg gcgccgucgc aagaaagg 38

<210> 44
<211> 17
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Target Signaling Molecule

<400> 44
gguccuuucu uggauaa 17

<210> 45
<211> 17
<212> RNA
<213> Hepatitis C virus

<400> 45
ccuuucuugg auaaaug 17

<210> 46
<211> 112
<212> RNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Sensor Ligase Molecule

<400> 46
aaaccagucg gaacacuaua cgacugguac cguaaaagac aaaugugccc ucagagcaag 60

gaccgaucuu cggauccagg ggaggcaccc cccgguggcu uuaacgcaa cg 112

<210> 47
<211> 17
<212> RNA
<213> Hepatitis C virus

<400> 47
gguccuuucu uggauaa 17

<210> 48
<211> 366
<212> RNA
<213> Hepatitis C virus

<400> 48
 gccagcccc gauugggggc gacacuccac cauagaucac uccccuguga ggaacuacug 60
 ucuucacgca gaaagcgucu agccauggcg uuaguaugag ugucgugcag ccuccaggac 120
 cccccucucc gggagagcca uaguggucug cggaaccggu gaguacaccg gaauugccag 180
 gacgaccggg uccuuucuuu gaucaaccgc cucaauggcu ggagauuugg gcgugccccc 240
 gcgagacugc uagccgagua gugugggguc gcgaaaggcc uugugguacu gccugauagg 300
 gugcuugcga gugccccggg agguucugua gaccgugcac caugagcacg aauccuaaac 360
 cucaaaa 366

<210> 49
 <211> 12
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Generic Target Sequence

<220>
 <221> misc_feature
 <222> (1)..(5)
 <223> n stands for any nucleotide

<220>
 <221> misc_feature
 <222> (9)..(12)
 <223> n stands for any nucleotide

<400> 49
 nnnnnygynn nn 12

<210> 50
 <211> 37
 <212> RNA
 <213> Artificial Sequence

<220>
 <223> Description of Artificial Sequence: Halfzyme

<220>
 <221> misc_feature
 <222> (1)..(4)
 <223> 2'-O-methyl

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> 2'-deoxy-2'-amino

<220>
 <221> misc_feature
 <222> (6)..(11)
 <223> 2'-O-methyl

 <220>
 <221> misc_feature
 <222> (14)..(24)
 <223> 2'-O-methyl

 <220>
 <221> misc_feature
 <222> (15)..(15)
 <223> 2'-deoxy-2'-amino

 <220>
 <221> misc_feature
 <222> (16)..(22)
 <223> 2'-O-methyl

 <220>
 <221> misc_feature
 <222> (23)..(23)
 <223> n stands for hexaethylene glycol linker

 <220>
 <221> misc_feature
 <222> (24)..(29)
 <223> 2'-O-methyl

 <220>
 <221> misc_feature
 <222> (31)..(37)
 <223> 2'-O-methyl

<400> 50
 agcgcgagug aggcugacg gcngccgucg cgacggg

37

<210> 51
 <211> 12
 <212> DNA
 <213> HEPATITIS B VIRUS

<400> 51
 cccgtcggcg ct

12

<210> 52
 <211> 12
 <212> DNA
 <213> HEPATITIS B VIRUS

<400> 52
 cccgtcgacg ct

12

<210> 53
<211> 12
<212> DNA
<213> HEPATITIS B VIRUS

<400> 53
cccgtcgtcg ct 12

<210> 54
<211> 12
<212> DNA
<213> HEPATITIS B VIRUS

<400> 54
cccgtcgcgcg ct 12

<210> 55
<211> 12
<212> DNA
<213> HEPATITIS B VIRUS

<400> 55
cccgtcagcg ct 12

<210> 56
<211> 12
<212> DNA
<213> HEPATITIS B VIRUS

<400> 56
cccgtctgcg ct 12

<210> 57
<211> 12
<212> DNA
<213> HEPATITIS B VIRUS

<400> 57
cccgtccgcg ct 12

<210> 58
<211> 12
<212> RNA
<213> HEPATITIS B VIRUS

<400> 58
cccguccggcg cu 12

09992160 10504
T050T 0972660